

ANALYTICAL REPORT



April 19, 2013

Page 1 of 2

Client: Edwards Aquifer Authority
Mark Hamilton
1615 N. Saint Mary's St.
San Antonio, TX 78215

Fax #: 210-222-9869

This analytical report is intended exclusively for the individual or entity to which it is addressed. Recipient is not authorized to print or copy this report, except in full without written approval of the laboratory. If you have received this report in error, please notify the San Antonio River Authority.

Sample Location: HSM 110
Sample Number: AA80047
Sample Matrix: Non Potable Water

Collection Date/Time: 4/16/13 09:35
Receipt Date/Time: 4/16/13 13:30

CASE NARRATIVE

This report provides results related only to the referenced sample ID numbers. All samples were received in acceptable condition unless otherwise noted. For questions regarding this report, please contact David Hernandez, Laboratory Supervisor, at (210) 302-3669

Analysis identified with a "√" complies with NELAP requirements unless otherwise specified in the case narrative.

No sample and/or analysis comment(s)

ANALYTICAL RESULTS

	<u>Analyses</u>	<u>NELAC</u>	<u>Analysis Method</u>	<u>Result</u>	<u>Units</u>	<u>Qualifier</u>	<u>Reporting</u>	<u>QC Batch</u>	<u>Analysis</u>		<u>Analyst</u>
							<u>Limit</u>	<u>Number</u>	<u>Date</u>	<u>Time</u>	
AA80047-A	E. coli	√	SM 9223B-2004	2	MPN/100 mL		1	34562	4/16/13	16:15	RSC
AA80047-A	E. Coli Holding Time - IDEXX Colilert		NA	6.67	hours		0.00	34561	4/16/13	16:15	RSC

A - Outside upper acceptance criteria
D - Outside lower acceptance criteria
T - Microbiological Controls were unacceptable

H - Hold Time for preparation or analysis exceeded
J - Analyte detected outside quantitation limit

* - See Case Narrative
--- - Not Applicable



QC ANALYTICAL RESULTS

QC Batch Name: E_COLI_QUANTITRAY-34562

Acceptance Criteria

QC Analyte Name

Initial Blank for E. coli

Result

Absent

Units

Qualifier

Lower

Target

Absent

Upper



4/19/2013

Jeanette Hernandez
Water Quality Planner / QAO

Date

A - Outside upper acceptance criteria
D - Outside lower acceptance criteria
T - Microbiological Controls were unacceptable

H - Hold Time for preparation or analysis exceeded
J - Analyte detected outside quantitation limit

* - See Case Narrative
--- - Not Applicable

ANALYTICAL REPORT



April 19, 2013

Page 1 of 2

Client: Edwards Aquifer Authority
Mark Hamilton
1615 N. Saint Mary's St.
San Antonio, TX 78215

Fax #: 210-222-9869

This analytical report is intended exclusively for the individual or entity to which it is addressed. Recipient is not authorized to print or copy this report, except in full without written approval of the laboratory. If you have received this report in error, please notify the San Antonio River Authority.

Sample Location: HSM 120
Sample Number: AA80048
Sample Matrix: Non Potable Water

Collection Date/Time: 4/16/13 10:00
Receipt Date/Time: 4/16/13 13:30

CASE NARRATIVE

This report provides results related only to the referenced sample ID numbers. All samples were received in acceptable condition unless otherwise noted. For questions regarding this report, please contact David Hernandez, Laboratory Supervisor, at (210) 302-3669

Analysis identified with a "√" complies with NELAP requirements unless otherwise specified in the case narrative.

No sample and/or analysis comment(s)

ANALYTICAL RESULTS

	<u>Analyses</u>	<u>NELAC</u>	<u>Analysis Method</u>	<u>Result</u>	<u>Units</u>	<u>Qualifier</u>	<u>Reporting</u>	<u>QC Batch</u>	<u>Analysis</u>		<u>Analyst</u>
							<u>Limit</u>	<u>Number</u>	<u>Date</u>	<u>Time</u>	
AA80048-A	E. coli	√	SM 9223B-2004	22	MPN/100 mL		1	34562	4/16/13	16:15	RSC
AA80048-A	E. Coli Holding Time - IDEXX Colilert		NA	6.25	hours		0.00	34561	4/16/13	16:15	RSC

A - Outside upper acceptance criteria
D - Outside lower acceptance criteria
T - Microbiological Controls were unacceptable

H - Hold Time for preparation or analysis exceeded
J - Analyte detected outside quantitation limit

* - See Case Narrative
--- - Not Applicable

ANALYTICAL REPORT



April 19, 2013

Page 2 of 2

QC ANALYTICAL RESULTS

QC Batch Name: E_COLI_QUANTITRAY-34562

Acceptance Criteria

QC Analyte Name

Initial Blank for E. coli

Result

Absent

Units

Qualifier

Lower

Target

Absent

Upper



Jeanette Hernandez
Water Quality Planner / QAO

4/19/2013

Date

A - Outside upper acceptance criteria
D - Outside lower acceptance criteria
T - Microbiological Controls were unacceptable

H - Hold Time for preparation or analysis exceeded
J - Analyte detected outside quantitation limit

* - See Case Narrative
--- - Not Applicable



Client: Edwards Aquifer Authority
Mark Hamilton
1615 N. Saint Mary's St.
San Antonio, TX 78215

Fax #: 210-222-9869

This analytical report is intended exclusively for the individual or entity to which it is addressed. Recipient is not authorized to print or copy this report, except in full without written approval of the laboratory. If you have received this report in error, please notify the San Antonio River Authority.

Sample Location: HSM 130
Sample Number: AA80049
Sample Matrix: Non Potable Water

Collection Date/Time: 4/16/13 10:30
Receipt Date/Time: 4/16/13 13:30

CASE NARRATIVE

This report provides results related only to the referenced sample ID numbers. All samples were received in acceptable condition unless otherwise noted. For questions regarding this report, please contact David Hernandez, Laboratory Supervisor, at (210) 302-3669

Analysis identified with a "√" complies with NELAP requirements unless otherwise specified in the case narrative.

No sample and/or analysis comment(s)

ANALYTICAL RESULTS

	<u>Analyses</u>	<u>NELAC</u>	<u>Analysis Method</u>	<u>Result</u>	<u>Units</u>	<u>Qualifier</u>	<u>Reporting</u>	<u>QC Batch</u>	<u>Analysis</u>		<u>Analyst</u>
							<u>Limit</u>	<u>Number</u>	<u>Date</u>	<u>Time</u>	
AA80049-A	E. coli	√	SM 9223B-2004	99	MPN/100 mL		1	34562	4/16/13	16:15	RSC
AA80049-A	E. Coli Holding Time - IDEXX Colilert		NA	5.75	hours		0.00	34561	4/16/13	16:15	RSC

A - Outside upper acceptance criteria
D - Outside lower acceptance criteria
T - Microbiological Controls were unacceptable

H - Hold Time for preparation or analysis exceeded
J - Analyte detected outside quantitation limit

* - See Case Narrative
--- - Not Applicable

ANALYTICAL REPORT



QC ANALYTICAL RESULTS

QC Batch Name: E_COLI_QUANTITRAY-34562

Acceptance Criteria

QC Analyte Name

Initial Blank for E. coli

Result

Absent

Units

Qualifier

Lower

Target

Absent

Upper



Jeanette Hernandez
Water Quality Planner / QAO

4/19/2013

Date

A - Outside upper acceptance criteria
D - Outside lower acceptance criteria
T - Microbiological Controls were unacceptable

H - Hold Time for preparation or analysis exceeded
J - Analyte detected outside quantitation limit

* - See Case Narrative
--- - Not Applicable

ANALYTICAL REPORT



April 19, 2013

Page 1 of 2

Client: Edwards Aquifer Authority
Mark Hamilton
1615 N. Saint Mary's St.
San Antonio, TX 78215

Fax #: 210-222-9869

This analytical report is intended exclusively for the individual or entity to which it is addressed. Recipient is not authorized to print or copy this report, except in full without written approval of the laboratory. If you have received this report in error, please notify the San Antonio River Authority.

Sample Location: HSM 140
Sample Number: AA80050
Sample Matrix: Non Potable Water

Collection Date/Time: 4/16/13 11:15
Receipt Date/Time: 4/16/13 13:30

CASE NARRATIVE

This report provides results related only to the referenced sample ID numbers. All samples were received in acceptable condition unless otherwise noted. For questions regarding this report, please contact David Hernandez, Laboratory Supervisor, at (210) 302-3669

Analysis identified with a "√" complies with NELAP requirements unless otherwise specified in the case narrative.

No sample and/or analysis comment(s)

ANALYTICAL RESULTS

	<u>Analyses</u>	<u>NELAC</u>	<u>Analysis Method</u>	<u>Result</u>	<u>Units</u>	<u>Qualifier</u>	<u>Reporting</u>	<u>QC Batch</u>	<u>Analysis</u>		<u>Analyst</u>
							<u>Limit</u>	<u>Number</u>	<u>Date</u>	<u>Time</u>	
AA80050-A	E. coli	√	SM 9223B-2004	93	MPN/100 mL		1	34562	4/16/13	16:15	RSC
AA80050-A	E. Coli Holding Time - IDEXX Colilert		NA	5.00	hours		0.00	34561	4/16/13	16:15	RSC

A - Outside upper acceptance criteria
D - Outside lower acceptance criteria
T - Microbiological Controls were unacceptable

H - Hold Time for preparation or analysis exceeded
J - Analyte detected outside quantitation limit

* - See Case Narrative
--- - Not Applicable



QC ANALYTICAL RESULTS

QC Batch Name: E_COLI_QUANTITRAY-34562

Acceptance Criteria

QC Analyte Name

Initial Blank for E. coli

Result

Absent

Units

Qualifier

Lower

Target

Absent

Upper



Jeanette Hernandez
Water Quality Planner / QAO

4/19/2013

Date

A - Outside upper acceptance criteria
D - Outside lower acceptance criteria
T - Microbiological Controls were unacceptable

H - Hold Time for preparation or analysis exceeded
J - Analyte detected outside quantitation limit

* - See Case Narrative
--- - Not Applicable



Client: Edwards Aquifer Authority
Mark Hamilton
1615 N. Saint Mary's St.
San Antonio, TX 78215

Fax #: 210-222-9869

This analytical report is intended exclusively for the individual or entity to which it is addressed. Recipient is not authorized to print or copy this report, except in full without written approval of the laboratory. If you have received this report in error, please notify the San Antonio River Authority.

Sample Location: HSM 150
Sample Number: AA80051
Sample Matrix: Non Potable Water

Collection Date/Time: 4/16/13 11:50
Receipt Date/Time: 4/16/13 13:30

CASE NARRATIVE

This report provides results related only to the referenced sample ID numbers. All samples were received in acceptable condition unless otherwise noted. For questions regarding this report, please contact David Hernandez, Laboratory Supervisor, at (210) 302-3669

Analysis identified with a "√" complies with NELAP requirements unless otherwise specified in the case narrative.

No sample and/or analysis comment(s)

ANALYTICAL RESULTS

	<u>Analyses</u>	<u>NELAC</u>	<u>Analysis Method</u>	<u>Result</u>	<u>Units</u>	<u>Qualifier</u>	<u>Reporting</u>	<u>QC Batch</u>	<u>Analysis</u>		<u>Analyst</u>
							<u>Limit</u>	<u>Number</u>	<u>Date</u>	<u>Time</u>	
AA80051-A	E. coli	√	SM 9223B-2004	63	MPN/100 mL		1	34562	4/16/13	16:15	RSC
AA80051-A	E. Coli Holding Time - IDEXX Colilert		NA	4.42	hours		0.00	34561	4/16/13	16:15	RSC

A - Outside upper acceptance criteria
D - Outside lower acceptance criteria
T - Microbiological Controls were unacceptable

H - Hold Time for preparation or analysis exceeded
J - Analyte detected outside quantitation limit

* - See Case Narrative
--- - Not Applicable

ANALYTICAL REPORT



April 19, 2013

Page 2 of 2

QC ANALYTICAL RESULTS

QC Batch Name: E_COLI_QUANTITRAY-34562

Acceptance Criteria

QC Analyte Name

Initial Blank for E. coli

Result

Absent

Units

Qualifier

Lower

Target

Absent

Upper



Jeanette Hernandez
Water Quality Planner / QAO

4/19/2013

Date

A - Outside upper acceptance criteria
D - Outside lower acceptance criteria
T - Microbiological Controls were unacceptable

H - Hold Time for preparation or analysis exceeded
J - Analyte detected outside quantitation limit

* - See Case Narrative
--- - Not Applicable

ANALYTICAL REPORT



April 19, 2013

Page 1 of 2

Client: Edwards Aquifer Authority
Mark Hamilton
1615 N. Saint Mary's St.
San Antonio, TX 78215

Fax #: 210-222-9869

This analytical report is intended exclusively for the individual or entity to which it is addressed. Recipient is not authorized to print or copy this report, except in full without written approval of the laboratory. If you have received this report in error, please notify the San Antonio River Authority.

Sample Location: HSM 160
Sample Number: AA80052
Sample Matrix: Non Potable Water

Collection Date/Time: 4/16/13 12:45
Receipt Date/Time: 4/16/13 13:30

CASE NARRATIVE

This report provides results related only to the referenced sample ID numbers. All samples were received in acceptable condition unless otherwise noted. For questions regarding this report, please contact David Hernandez, Laboratory Supervisor, at (210) 302-3669

Analysis identified with a "√" complies with NELAP requirements unless otherwise specified in the case narrative.

No sample and/or analysis comment(s)

ANALYTICAL RESULTS

	<u>Analyses</u>	<u>NELAC</u>	<u>Analysis Method</u>	<u>Result</u>	<u>Units</u>	<u>Qualifier</u>	<u>Reporting</u>	<u>QC Batch</u>	<u>Analysis</u>		<u>Analyst</u>
							<u>Limit</u>	<u>Number</u>	<u>Date</u>	<u>Time</u>	
AA80052-A	E. coli	√	SM 9223B-2004	81	MPN/100 mL		1	34562	4/16/13	16:15	RSC
AA80052-A	E. Coli Holding Time - IDEXX Colilert		NA	3.50	hours		0.00	34561	4/16/13	16:15	RSC

A - Outside upper acceptance criteria
D - Outside lower acceptance criteria
T - Microbiological Controls were unacceptable

H - Hold Time for preparation or analysis exceeded
J - Analyte detected outside quantitation limit

* - See Case Narrative
--- - Not Applicable

ANALYTICAL REPORT



April 19, 2013

Page 2 of 2

QC ANALYTICAL RESULTS

QC Batch Name: E_COLI_QUANTITRAY-34562

Acceptance Criteria

QC Analyte Name

Initial Blank for E. coli

Result

Absent

Units

Qualifier

Lower

Target

Absent

Upper



Jeanette Hernandez
Water Quality Planner / QAO

4/19/2013

Date

A - Outside upper acceptance criteria
D - Outside lower acceptance criteria
T - Microbiological Controls were unacceptable

H - Hold Time for preparation or analysis exceeded
J - Analyte detected outside quantitation limit

* - See Case Narrative
--- - Not Applicable

ANALYTICAL REPORT



April 19, 2013

Page 1 of 2

Client: Edwards Aquifer Authority
Mark Hamilton
1615 N. Saint Mary's St.
San Antonio, TX 78215

Fax #: 210-222-9869

This analytical report is intended exclusively for the individual or entity to which it is addressed. Recipient is not authorized to print or copy this report, except in full without written approval of the laboratory. If you have received this report in error, please notify the San Antonio River Authority.

Sample Location: HSM 160 FD
Sample Number: AA80053
Sample Matrix: Non Potable Water

Collection Date/Time: 4/16/13 12:45
Receipt Date/Time: 4/16/13 13:30

CASE NARRATIVE

This report provides results related only to the referenced sample ID numbers. All samples were received in acceptable condition unless otherwise noted. For questions regarding this report, please contact David Hernandez, Laboratory Supervisor, at (210) 302-3669

Analysis identified with a "√" complies with NELAP requirements unless otherwise specified in the case narrative.

No sample and/or analysis comment(s)

ANALYTICAL RESULTS

	<u>Analyses</u>	<u>NELAC</u>	<u>Analysis Method</u>	<u>Result</u>	<u>Units</u>	<u>Qualifier</u>	<u>Reporting</u>	<u>QC Batch</u>	<u>Analysis</u>		<u>Analyst</u>
							<u>Limit</u>	<u>Number</u>	<u>Date</u>	<u>Time</u>	
AA80053-A	E. coli	√	SM 9223B-2004	93	MPN/100 mL		1	34562	4/16/13	16:15	RSC
AA80053-A	E. Coli Holding Time - IDEXX Colilert		NA	3.50	hours		0.00	34561	4/16/13	16:15	RSC

A - Outside upper acceptance criteria
D - Outside lower acceptance criteria
T - Microbiological Controls were unacceptable

H - Hold Time for preparation or analysis exceeded
J - Analyte detected outside quantitation limit

* - See Case Narrative
--- - Not Applicable

ANALYTICAL REPORT



April 19, 2013

Page 2 of 2

QC ANALYTICAL RESULTS

QC Batch Name: E_COLI_QUANTITRAY-34562

Acceptance Criteria

QC Analyte Name

Initial Blank for E. coli

Result

Absent

Units

Qualifier

Lower

Target

Absent

Upper



Jeanette Hernandez
Water Quality Planner / QAO

4/19/2013

Date

A - Outside upper acceptance criteria
D - Outside lower acceptance criteria
T - Microbiological Controls were unacceptable

H - Hold Time for preparation or analysis exceeded
J - Analyte detected outside quantitation limit

* - See Case Narrative
--- - Not Applicable

ANALYTICAL REPORT



April 19, 2013

Page 1 of 2

Client: Edwards Aquifer Authority
Mark Hamilton
1615 N. Saint Mary's St.
San Antonio, TX 78215

Fax #: 210-222-9869

This analytical report is intended exclusively for the individual or entity to which it is addressed. Recipient is not authorized to print or copy this report, except in full without written approval of the laboratory. If you have received this report in error, please notify the San Antonio River Authority.

Sample Location: HSM 170
Sample Number: AA80063
Sample Matrix: Non Potable Water

Collection Date/Time: 4/17/13 10:50
Receipt Date/Time: 4/17/13 13:13

CASE NARRATIVE

This report provides results related only to the referenced sample ID numbers. All samples were received in acceptable condition unless otherwise noted. For questions regarding this report, please contact David Hernandez, Laboratory Supervisor, at (210) 302-3669

Analysis identified with a "√" complies with NELAP requirements unless otherwise specified in the case narrative.

No sample and/or analysis comment(s)

ANALYTICAL RESULTS

	<u>Analyses</u>	<u>NELAC</u>	<u>Analysis Method</u>	<u>Result</u>	<u>Units</u>	<u>Qualifier</u>	<u>Reporting</u>	<u>QC Batch</u>	<u>Analysis</u>		<u>Analyst</u>
							<u>Limit</u>	<u>Number</u>	<u>Date</u>	<u>Time</u>	
AA80063-A	E. coli	√	SM 9223B-2004	150	MPN/100 mL		1	34572	4/17/13	15:48	RSC
AA80063-A	E. Coli Holding Time - IDEXX Colilert		NA	4.97	hours		0.00	34571	4/17/13	15:48	RSC

A - Outside upper acceptance criteria
D - Outside lower acceptance criteria
T - Microbiological Controls were unacceptable

H - Hold Time for preparation or analysis exceeded
J - Analyte detected outside quantitation limit

* - See Case Narrative
--- - Not Applicable

Attachment 5



QC ANALYTICAL RESULTS

QC Batch Name: E_COLI_QUANTITRAY-34572

Acceptance Criteria

QC Analyte Name

Initial Blank for E. coli

Result

Absent

Units

Qualifier

Lower

Target

Absent

Upper



Jeanette Hernandez
Water Quality Planner / QAO

4/19/2013

Date

A - Outside upper acceptance criteria
D - Outside lower acceptance criteria
T - Microbiological Controls were unacceptable

H - Hold Time for preparation or analysis exceeded
J - Analyte detected outside quantitation limit

* - See Case Narrative
--- - Not Applicable