

EDWARDS UNDERGROUND WATER DISTRICT

1619 Tower Life Building
San Antonio, Texas

BULLETIN 4

CHEMICAL ANALYSES OF WATER FROM OBSERVATION WELLS IN THE EDWARDS AND ASSOCIATED LIMESTONES, SAN ANTONIO AREA, TEXAS, 1963

Compiled by
Sergio Garza, Hydraulic Engineer
United States Geological Survey

Prepared in cooperation with the Geological Survey,
United States Department of the Interior,
the Texas Water Commission, and
the City of San Antonio

JANUARY - 1964

CHEMICAL ANALYSES OF WATER FROM OBSERVATION WELLS
IN THE EDWARDS AND ASSOCIATED LIMESTONES, SAN ANTONIO AREA, TEXAS, 1963

Compiled by

Sergio Garza, Hydraulic Engineer
United States Geological Survey

January 1964

Ground water users in the San Antonio area have been concerned about possible encroachment of saline water into the fresh-water-bearing part of the Edwards and associated limestones as the head in the aquifer changes. As a result, the program to resample observation wells tapping the zone of transition between water of good quality and saline water in the Edwards and associated limestones was begun in 1959. Chemical analyses compiled through 1962 were published by the Edwards Underground Water District (Garza, 1962), and this report presents the chemical analyses compiled during 1963. The resampling program is part of a more extensive hydrologic investigation carried on by the U.S. Geological Survey in cooperation with the Edwards Underground Water District, the Texas Water Commission, and the city of San Antonio.

Chemical analyses of water from 100 wells are listed in this report. Most of the wells are sampled twice a year, but some of the wells are not in continuous use and it is not possible to sample them that frequently. About 80 wells are sampled twice a year; the remainder have been placed on standby to be resampled when the wells are in use.

The water samples are analyzed in the laboratory of the U.S. Geological Survey in Austin, Tex., for specific conductance, pH, chloride, sulfate, bicarbonate, and hardness. A more complete analysis has been made for one of the samples from each well, and these analyses are on file in the offices of the Geological Survey in Austin and San Antonio. Locations of wells and other data pertaining to the resampling program may be found in reports listed below.

REFERENCES

- Garza, Sergio, 1962, Recharge, discharge, and changes in ground-water storage in the Edwards and associated limestones, San Antonio area, Texas. A progress report on studies, 1955-59: Texas Water Commission Bull. 6201.
- Garza, Sergio, 1962, Chemical analyses of water from observation wells in the Edwards and associated limestones, San Antonio area, Texas: Edwards Underground Water District Bull. 1.

Chemical analyses of water from observation wells in the San Antonio area, Texas
 (Analyses are in parts per million, except specific conductance and pH)

| Well | Owner | Depth of well (ft.) | Date of collection | Bicarbonate (HCO_3) | Sulfate (SO_4) | Chloride (Cl) | Dissolved solids | Hardness as CaCO_3 | Specific conductance (micromhos at 25°C) | pH | Temperature °F |
|----------------------|-------------------|---------------------|--------------------|--------------------------------|---------------------------|---------------|------------------|-----------------------------|--|-----|----------------|
| <u>Kinney County</u> | | | | | | | | | | | |
| M-10 | Wardlaw Bros. | 750 | Mar. 20, 1963 | 238 | 203 | 10 | | 394 | 761 | 6.9 | 84 |
| | | | Sept. 11, 1963 | 234 | 201 | 12 | | 398 | 768 | 7.3 | 83 |
| M-12 | Wardlaw Bros. | 1200 | Mar. 20, 1963 | 182 | 1620 | 12 | | 1840 | 2540 | 6.7 | 91 |
| | | | Sept. 11, 1963 | 204 | 1640 | 13 | | 1840 | 2570 | 6.4 | 89 |
| M-14 | F. Beidler | 618 | Mar. 19, 1963 | 262 | 95 | 13 | | 284 | 617 | 7.2 | 81 |
| | | | Sept. 11, 1963 | 268 | 93 | 13 | | 284 | 624 | 7.0 | 78 |
| N-5 | Wardlaw Bros. | 756 | Mar. 19, 1963 | 264 | 93 | 15 | | 268 | 621 | 7.0 | 82 |
| | | | Sept. 10, 1963 | 260 | 94 | 15 | | 274 | 626 | 7.3 | 80 |
| U-15 | W. Richards | 1408 | Mar. 19, 1963 | 180 | 1750 | 7.5 | | 1920 | 2650 | 6.5 | 95 |
| | | | Sept. 11, 1963 | 206 | 1780 | 11 | | 1940 | 2670 | 6.3 | 94 |
| V-7 | Las Moras Springs | - | Mar. 14, 1963 | 238 | 7.2 | 9.5 | | 220 | 433 | 7.0 | 74 |
| V-29 | R. Dodd | 930 | Mar. 20, 1963 | 210 | 554 | 9.2 | | 735 | 1250 | 7.0 | 88 |
| | | | Sept. 11, 1963 | 214 | 544 | 9.8 | | 735 | 1240 | 6.6 | 86 |

Chemical analyses of water from observation wells in the San Antonio area-continued

| Well | Owner | Depth of well (ft.) | Date of collection | Bicar- bonate (HCO ₃) | Sulfate (SO ₄) | Chloride (Cl) | Dissolved solids | Hardness as CaCO ₃ | Specific conductance (micromhos at 25°C) | pH | Temperature °F |
|----------------------|--------------------------|------------------------------|-----------------------|---|-------------------------------|------------------|---------------------|----------------------------------|---|-----|-------------------|
| W-17 | B. F. Orr | 435 | Sept. 10, 1963 | 392 | 42 | 116 | | 182 | 1030 | 7.7 | 78 |
| X-5 | A. Harrison | 514 | Mar. 14, 1963 | 268 | 1250 | 28 | | 1500 | 2240 | 6.7 | 79 |
| Y-16 | A. Schubach | 285 | Mar. 14, 1963 | 446 | 129 | 70 | | 526 | 1100 | 6.4 | 79 |
| | | | Sept. 10, 1963 | 440 | 130 | 74 | | 510 | 1080 | 7.3 | 79 |
| Y-17 | A. Schubach | 370 | Mar. 14, 1963 | 380 | 51 | 66 | | 338 | 867 | 7.5 | 75 |
| | | | Sept. 10, 1963 | 386 | 60 | 70 | | 338 | 893 | 7.4 | 78 |
| <u>Uvalde County</u> | | | | | | | | | | | |
| G-6-2 | F. Kirchgraber | 1100 | Mar. 14, 1963 | 428 | 21 | 35 | | 376 | 786 | 6.8 | 74 |
| H-4-34 | J. Rosenow | 593 | Mar. 3, 1963 | 380 | 15 | 19 | | 336 | 674 | 6.7 | 76 |
| H-4-57 | Knowlton Dairy | 980 | Mar. 19, 1963 | 314 | 44 | 121 | | 430 | 952 | 6.9 | 76 |
| H-4-64 | F. Turner (H. Martin) | 842 | Mar. 13, 1963 | 552 | 112 | 105 | | 380 | 1350 | 6.9 | 78 |
| | | | Aug. 8, 1963 | 552 | 115 | 108 | | 376 | 1300 | 7.0 | 78 |
| H-4-95 | S. G. Nelson | 1113 | Mar. 20, 1963 | 248 | 198 | 19 | | 338 | 779 | 7.2 | 80 |
| H-5-1 | City of Uvalde | 287 | Feb. 20, 1963 | 280 | 24 | 28 | | 276 | 582 | 6.9 | -- |

Chemical analyses of water from observation wells in the San Antonio area--continued

| Well | Owner | Depth of well (ft.) | Date of collection | Bicar- bonate (HCO ₃) | Sulfate (SO ₄) | Chloride (Cl) | Dissolved solids | Hardness as CaCO ₃ | Specific conductance (micromhos at 25°C) | pH | Temperature °F |
|---------|----------------------|------------------------------|-----------------------|---|-------------------------------|------------------|---------------------|----------------------------------|---|-----|-------------------|
| H-5-72 | B. Turner | 350 | Mar. 3, 1963 | 356 | 195 | 48 | | 460 | 1010 | 6.8 | 75 |
| H-5-163 | U.S. Fish & Wildlife | 600 | Mar. 12, 1963 | 300 | 80 | 125 | | 444 | 1010 | 6.6 | 76 |
| | | | Aug. 22, 1963 | 296 | 102 | 128 | | 450 | 1010 | 6.7 | 74 |
| H-5-240 | W. Painter | 562 | Apr. 1, 1963 | 262 | 432 | 99 | | 680 | 1400 | 6.4 | -- |
| | | | Oct. 8, 1963 | 272 | 438 | 96 | | 680 | 1400 | 7.1 | -- |
| H-6-25 | B. Turner | 1410 | Mar. 12, 1963 | 356 | 888 | 425 | | 896 | 3170 | 6.8 | 93 |
| | | | Sept. 3, 1963 | - | 902 | 425 | | - | 3140 | - | 92 |
| H-6-74 | C.S. Hunter | 1075 | Mar. 22, 1963 | 252 | 194 | 79 | | 360 | 980 | 7.0 | - |
| | | | Sept. 11, 1963 | 250 | 195 | 78 | | 372 | 997 | 6.9 | 89 |
| H-6-82 | F. Kincaid | 1524 | Mar. 12, 1963 | 224 | 341 | 150 | | 560 | 1390 | 6.7 | 87 |
| | | | Aug. 22, 1963 | 224 | 344 | 148 | | 570 | 1380 | 6.7 | 87 |
| H-8-69 | J. R. Farr | 602 | Mar. 12, 1963 | 236 | 325 | 270 | | 580 | 1760 | 6.8 | 90 |
| I-7-15 | T. M. Woodley | 2575 | Mar. 12, 1963 | 220 | 117 | 31 | | 312 | 663 | 6.7 | 100 |
| | | | Sept. 22, 1963 | 222 | 120 | 31 | | 312 | 647 | 7.0 | 99 |

Chemical analyses of water from observation wells in the San Antonio area--continued

| Well | Owner | Depth of Well (ft.) | Date of collection | Bicar- bonate (HCO ₃) | Sulfate (SO ₄) | Chloride (Cl) | Dissolved solids | Hardness as CaCO ₃ | Specific conductance (micromhos at 25°C) | pH | Temperature °F |
|------------------------|---------------|------------------------------|-----------------------|---|-------------------------------|------------------|---------------------|----------------------------------|---|-----|-------------------|
| <u>Medina County</u> | | | | | | | | | | | |
| I-5-55 | G. E. Farley | 2000 | Mar. 12, 1963 | 234 | 16 | 19 | | 214 | 445 | 7.2 | 74 |
| | | | Aug. 8, 1963 | 240 | 16 | 17 | | 220 | 444 | 7.1 | 74 |
| I-5-74 | E. Hood | 2260 | Aug. 9, 1963 | 260 | 13 | 23 | | 238 | 472 | 7.7 | 75 |
| J-4-143 | H. Kelso | 2765 | Aug. 7, 1963 | 236 | 36 | 25 | | 224 | 489 | 7.0 | 94 |
| <u>Atascosa County</u> | | | | | | | | | | | |
| 3 | C. W. Mask | 2507 | Mar. 3, 1963 | 208 | 154 | 67 | | 334 | 807 | 7.3 | -- |
| | | | Aug. 14, 1963 | 224 | 74 | 34 | | 266 | 571 | 7.2 | 90 |
| 5 | City of Lytle | 2379 | Mar. 4, 1963 | 224 | 190 | 39 | | 394 | 811 | 7.1 | 100 |
| | | | Aug. 7, 1963 | 220 | 190 | 40 | | 396 | 793 | 6.7 | 101 |

Chemical analyses of water from observation wells in the San Antonio area--continued

| Well | Owner | Depth of Well (ft.) | Date of collection | Bicar- bonate (HCO ₃) | Sulfate (SO ₄) | Chloride (Cl) | Dissolved solids | Hardness as CaCO ₃ | Specific conductance (micromhos at 25 C) | pH | Temperature °F |
|---------------------|---------------------------|------------------------------|-----------------------|---|-------------------------------|------------------|---------------------|----------------------------------|---|-----|-------------------|
| <u>Bexar County</u> | | | | | | | | | | | |
| 155 | Southern Henke Ice Co. | 1300 | Mar. 4, 1963 | 246 | 55 | 26 | | 264 | 549 | 7.1 | 83 |
| | | | Aug. 16, 1963 | 246 | 58 | 36 | | 272 | 584 | 7.1 | 83 |
| 278 | City of San Antonio | 1108 | Mar. 4, 1963 | 242 | 25 | 17 | | 232 | 463 | 7.2 | 80 |
| | | | Aug. 15, 1963 | 242 | 24 | 16 | | 224 | 450 | 7.4 | 83 |
| 284 | City of San Antonio | 1582 | Mar. 4, 1963 | 246 | 27 | 16 | | 234 | 473 | 7.2 | 82 |
| | | | Aug. 5, 1963 | 248 | 27 | 17 | | 232 | 456 | 7.7 | 82 |
| F-249 | H. Hoffrichter | 804 | Mar. 29, 1963 | 242 | 273 | 322 | | 514 | 1830 | 7.2 | -- |
| | | | Sept. 11, 1963 | 242 | 258 | 315 | | 510 | 1810 | 7.2 | 76 |
| G-7 | Converse Water Co. | 684 | Mar. 21, 1963 | 240 | 39 | 23 | | 244 | 513 | 7.0 | 81 |
| | | | Sept. 27, 1963 | 240 | 38 | 23 | | 244 | 518 | 6.8 | 80 |
| G-33 | A. H. Scott | 750 | Mar. 21, 1963 | 292 | 450 | 810 | | 745 | 3620 | 7.0 | -- |
| | | | Aug. 19, 1963 | 284 | 462 | 800 | | 750 | 3530 | 7.0 | -- |
| G-63 | Kneupper Water Co. | 576 | Mar. 5, 1963 | 244 | 40 | 40 | | 248 | 564 | 7.3 | 79 |
| | | | Aug. 8, 1963 | 244 | 42 | 46 | | 252 | 577 | 7.1 | 78 |

Chemical analyses of water from observation wells in the San Antonio area--continued

| Well | Owner | Depth of well (ft.) | Date of collection | Bicar- bonate (HCO ₃) | Sulfate (SO ₄) | Chloride (Cl) | Dissolved solids | Hardness as CaCO ₃ | Specific conductance (micromhos at 25°C) | pH | Temperature °F |
|-------|--------------------------|------------------------------|-----------------------|---|-------------------------------|------------------|---------------------|----------------------------------|---|-----|-------------------|
| I-125 | R. Aelevoet | 1285 | Mar. 1, 1963 | 242 | 31 | 16 | | 238 | 482 | 7.6 | 84 |
| | | | Aug. 9, 1963 | 244 | 32 | 17 | | 236 | 471 | 6.9 | 80 |
| I-205 | E. Persyn | 1672 | Mar. 24, 1963 | 224 | 392 | 190 | | 638 | 1560 | 6.6 | 89 |
| | | | Aug. 14, 1963 | 223 | 396 | 185 | | 650 | 1530 | 7.4 | 89 |
| I-206 | Patio Foods, Inc. | 1400 | Mar. 1, 1963 | 244 | 37 | 18 | | 244 | 488 | 7.3 | 84 |
| | | | Aug. 15, 1963 | 244 | 37 | 18 | | 244 | 483 | 7.2 | 82 |
| J-40 | E. Ackerman | 900 | Mar. 29, 1963 | 246 | 251 | 168 | | 466 | 1320 | 7.3 | — |
| | | | Aug. 19, 1963 | 246 | 279 | 188 | | 495 | 1410 | 7.0 | — |
| J-50 | San Antonio Hot Wells | 1878 | Mar. 1, 1963 | 230 | 2000 | 940 | | 2540 | 5470 | 6.6 | 104 |
| | | | Aug. 16, 1963 | 284 | 1990 | 900 | | 2560 | 5340 | 6.9 | 101 |
| J-66 | F. Ward | 900 | Mar. 29, 1963 | 250 | 113 | 137 | | 326 | 1010 | 7.3 | 78 |
| | | | Aug. 15, 1963 | 248 | 123 | 172 | | 336 | 1120 | 7.0 | 76 |
| J-75 | V. E. Berry | 1045 | Mar. 5, 1963 | 264 | 1050 | 540 | | 1440 | 3440 | 6.8 | 82 |
| J-87 | City of San Antonio | 1185 | Mar. 5, 1963 | 244 | 25 | 17 | | 232 | 466 | 7.5 | 81 |
| | | | Aug. 7, 1963 | 240 | 26 | 16 | | 232 | 459 | 7.3 | 80 |

Chemical analyses of water from observation wells in the San Antonio area--continued

| Well | Owner | Depth of well (ft.) | Date of collection | Bicar- bonate (HCO ₃) | Sulfate (SO ₄) | Chloride (Cl) | Dissolved solids | Hardness as CaCO | Specific conductance (micromhos at 25°C) | pH | Temperature °F |
|------|-----------------|------------------------------|-----------------------|---|-------------------------------|------------------|---------------------|---------------------|---|-----|-------------------|
| J-90 | Holt Machinery | 2179 | Feb. 21, 1963 | 270 | 1940 | 920 | | 2510 | 5460 | 6.6 | 105 |
| | | | Aug. 7, 1963 | 268 | 1960 | 950 | | 2520 | 5420 | 6.8 | 110 |
| J-91 | A. L. Wilson | 800 | Mar. 5, 1963 | 236 | 132 | 64 | | 320 | 804 | 7.2 | 83 |
| | | | Aug. 15, 1963 | 242 | 126 | 62 | | 312 | 699 | 6.9 | 83 |
| J-93 | A. Brucks | 775 | Mar. 5, 1963 | 242 | 41 | 24 | | 248 | 521 | 7.3 | 79 |
| K-2 | R. Schirmer | 854 | July 23, 1963 | 316 | 1880 | 1750 | | 2340 | 7530 | 6.6 | 85 |
| M-13 | A. A. Seeligson | 1800 | Mar. 4, 1963 | 242 | 85 | 38 | | 292 | 654 | 7.5 | 92 |
| M-39 | Constanzo Bros. | 1949 | Mar. 4, 1963 | 244 | 210 | 97 | | 436 | 1020 | 7.1 | 90 |
| M-44 | R. Aelevaet | 2226 | Mar. 4, 1963 | 194 | 1750 | 810 | | 2260 | 4760 | 6.8 | 104 |
| | | | Aug. 7, 1963 | 240 | 1690 | 775 | | 2240 | 4670 | 6.7 | 105 |
| M-45 | A. H. Grothues | 2300 | Mar. 11, 1963 | 232 | 113 | 50 | | 322 | 722 | 6.6 | 92 |
| | | | Aug. 14, 1963 | 230 | 200 | 88 | | 412 | 961 | 6.7 | 95 |
| M-47 | K. L. Haggard | 1950 | Mar. 4, 1963 | 226 | 274 | 114 | | 502 | 1170 | 6.8 | 95 |
| | | | Aug. 14, 1963 | 226 | 246 | 112 | | 480 | 1090 | 7.0 | 94 |
| M-48 | A. Ballard | 2190 | Mar. 1, 1963 | 232 | 302 | 136 | | 536 | 1330 | 7.3 | 96 |

Chemical analyses of water from observation wells in the San Antonio area--continued

| Well | Owner | Depth of well (ft.) | Date of collection | Bicar- bonate (HCO ₃) | Sulfate (SO ₄) | Chloride (Cl) | Dissolved solids | Hardness as CaCO ₃ | Specific conductance (micromhos at 25°C) | pH | Temperature |
|-------|----------------|------------------------------|-----------------------|---|-------------------------------|------------------|---------------------|----------------------------------|---|-----|-------------|
| M-48 | A. Ballard | 2190 | Aug. 14, 1963 | 224 | 278 | 122 | | 505 | 1170 | 6.8 | 95 |
| N-4 | O. R. Mitchell | 1909 | Mar. 1, 1963 | 240 | 24 | 16 | | 232 | 466 | 7.0 | 84 |
| N-5 | O. R. Mitchell | 1771 | Mar. 1, 1963 | 246 | 29 | 18 | | 236 | 473 | 7.3 | 82 |
| N-6 | C. Verstuyft | 1532 | Mar. 1, 1963 | 240 | 29 | 18 | | 240 | 479 | 7.1 | 83 |
| | | | Aug. 14, 1963 | 244 | 29 | 18 | | 236 | 465 | 7.2 | 82 |
| N-7 | Paul Persyn | 1830 | Mar. 1, 1963 | 284 | 40 | 38 | | 218 | 692 | 7.2 | 85 |
| | | | Aug. 14, 1963 | 288 | 40 | 43 | | 218 | 625 | 6.9 | 84 |
| N-28 | E. M. Baker | 1742 | Mar. 11, 1963 | 212 | 704 | 305 | | 1020 | 2360 | 6.2 | 100 |
| N-118 | L. Knowlton | 1856 | Mar. 11, 1963 | 240 | 111 | 48 | | 316 | 708 | 7.3 | 92 |
| | | | Aug. 14, 1963 | 238 | 94 | 43 | | 300 | 643 | 7.3 | 92 |
| N-119 | F. Vargas | 1660 | Mar. 1, 1963 | 238 | 908 | 440 | | 1260 | 3030 | 6.8 | 88 |
| | | | Aug. 14, 1963 | 218 | 916 | 440 | | 1280 | 2920 | 7.0 | 86 |
| N-120 | Krueger Farm | 1781 | Mar. 11, 1963 | 236 | 29 | 18 | | 234 | 474 | 7.0 | 80 |

Chemical analyses of water from observation wells in the San Antonio area--continued

| Well | Owner | Depth of well (ft.) | Date of collection | Bicar- bonate (HCO ₃) | Sulfate (SO ₄) | Chloride (Cl) | Dissolved solids | Hardness as CaCO ₃ | Specific conductance (micromhos at 25° C) | pH | Temperature |
|-------------------------|----------------|------------------------------|-----------------------|---|-------------------------------|------------------|---------------------|----------------------------------|--|-----|-------------|
| N-121 | E. M. Baker | 2274 | Mar. 4, 1963 | 262 | 808 | 408 | | 1160 | 2750 | 7.0 | 103 |
| | | | Aug. 14, 1963 | 214 | 840 | 395 | | 1150 | 2700 | 6.6 | 101 |
| <u>Guadalupe County</u> | | | | | | | | | | | |
| D-18 | C. L. Worthy | 370 | Mar. 13, 1963 | 242 | 87 | 58 | | 304 | 724 | 7.0 | -- |
| | | | Aug. 8, 1963 | 240 | 93 | 58 | | 296 | 698 | 6.9 | 76 |
| D-56 | City of Cibolo | 506 | Mar. 11, 1963 | 258 | 692 | 640 | | 1010 | 3430 | 6.9 | 78 |
| D-67 | W. Kramer | 565 | Mar. 11, 1963 | 256 | 418 | 380 | | 705 | 2230 | 7.0 | 74 |
| | | | Aug. 8, 1963 | 268 | 608 | 600 | | 950 | 3070 | 7.1 | 75 |
| <u>Comal County</u> | | | | | | | | | | | |
| F-75 | U.S. Gypsum | 209 | Mar. 14, 1963 | 282 | 22 | 12 | | 266 | 526 | 7.0 | 73 |
| | | | Aug. 16, 1963 | 296 | 18 | 12 | | 270 | 513 | 6.9 | 74 |

Chemical analyses of water from observation wells in the San Antonio area--continued

| Well | Owner | Depth of well (ft.) | Date of collection | Bicar- bonate (HCO ₃) | Sulfate (SO ₄) | Chloride (Cl) | Dissolved solids | Hardness as CaCO ₃ | Specific conductance (micromhos at 25°C) | pH | Temperature |
|------|---|------------------------------|-----------------------|---|-------------------------------|------------------|---------------------|----------------------------------|---|-----|-------------|
| G-50 | City of New Braunfels (Comal Springs) | - | Mar. 6, 1963 | 280 | 23 | 15 | | 258 | 509 | 7.5 | 74 |
| | | | Sept. 9, 1963 | 276 | 24 | 15 | | 254 | 501 | 7.5 | 74 |
| G-67 | W. Sippel | 502 | Mar. 6, 1963 | 260 | 57 | 54 | | 264 | 652 | 7.5 | 73 |
| | | | Aug. 16, 1963 | 258 | 56 | 58 | | 252 | 652 | 7.5 | 73 |
| G-83 | C. Hernandez | 345 | Mar. 7, 1963 | 292 | 165 | 85 | | 405 | 1020 | 7.2 | -- |
| | | | Aug. 25, 1963 | 270 | 650 | 488 | | 935 | 2920 | 7.2 | -- |
| G-84 | H. C. Nelson | 272 | Mar. 6, 1963 | 380 | 200 | 157 | | 545 | 1370 | 6.7 | 71 |
| | | | Sept. 9, 1963 | 376 | 212 | 160 | | 560 | 1400 | 7.0 | 74 |
| G-85 | O. Pape | 170 | Mar. 6, 1963 | 294 | 20 | 15 | | 270 | 526 | 7.0 | 69 |
| G-86 | H. Soechting | 168 | Mar. 12, 1963 | 286 | 28 | 16 | | 280 | 572 | 6.8 | -- |
| | | | Aug. 23, 1963 | 292 | 24 | 16 | | 270 | 523 | 7.2 | 72 |
| G-87 | R. Soechting | 160 | Mar. 14, 1963 | 290 | 21 | 16 | | 282 | 522 | 6.9 | 70 |
| G-89 | R. Hobson | 160 | Mar. 14, 1963 | 298 | 18 | 14 | | 268 | 516 | 7.8 | 71 |
| H-2 | E. Kanz | 450 | Mar. 13, 1963 | 338 | 406 | 568 | | 775 | 2850 | 7.5 | 74 |

Chemical analyses of water from observation wells in the San Antonio area--continued

| Well | Owner | Depth of well (ft.) | Date of collection | Bicar- bonate (HCO ₃) | Sulfate (SO ₄) | Chloride (Cl) | Dissolved solids | Hardness as CaCO ₃ | Specific conductance (micromhos at 25°C) | pH | Temperature |
|--------------------|----------------|------------------------------|-----------------------|---|-------------------------------|------------------|---------------------|----------------------------------|---|-----|-------------|
| H-6 | A. W. Feick | 700 | Mar. 5, 1963 | 274 | 54 | 53 | | 270 | 665 | 6.9 | 73 |
| | | | Aug. 22, 1963 | 258 | 59 | 54 | | 264 | 622 | 7.1 | 78 |
| H-7 | R. Welsch | 372 | Mar. 8, 1963 | 290 | 37 | 20 | | 272 | 566 | 7.0 | 71 |
| H-20 | W. Schaeffer | 300 | Mar. 5, 1963 | 290 | 18 | 22 | | 256 | 549 | 7.4 | 72 |
| | | | Aug. 16, 1963 | 284 | 17 | 28 | | 252 | 527 | 7.1 | 74 |
| H-23 | O. Penshorn | 428 | Mar. 11, 1963 | 316 | 1990 | 630 | | 2460 | 5230 | 7.2 | -- |
| H-43 | H. Friesenhahn | 400 | Mar. 7, 1963 | 376 | 25 | 40 | | 400 | 841 | 6.7 | 72 |
| H-49 | E. Feick | 515 | Mar. 5, 1963 | 426 | 498 | 620 | | 935 | 3160 | 7.1 | 73 |
| | | | Aug. 21, 1963 | 374 | 514 | 600 | | 890 | 3100 | 7.0 | -- |
| H-52 | P. Hansmann | 380 | Mar. 11, 1963 | 268 | 38 | 30 | | 258 | 557 | 7.9 | -- |
| | | | Sept. 5, 1963 | 260 | 44 | 30 | | 268 | 558 | 7.8 | -- |
| <u>Hays County</u> | | | | | | | | | | | |
| E-70 | H. K. Wilbern | 450 | Sept. 10, 1963 | 312 | 826 | 610 | | 935 | 3780 | - | 71 |

Chemical analyses of water from observation wells in the San Antonio area--continued

| Well | Owner | Depth of well (ft.) | Date of collection | Bicar- bonate (HCO ₃) | Sulfate (SO ₄) | Chloride (Cl) | Dissolved solids | Hardness as CaCO ₃ | Specific conductance (micromhos at 25°C) | pH | Temperature |
|------|-------------------|------------------------------|-----------------------|---|-------------------------------|------------------|---------------------|----------------------------------|---|-----|-------------|
| E-76 | City of Buda | 390 | Mar. 1, 1963 | 318 | 29 | 12 | | 302 | 560 | 7.2 | 71 |
| | | | Sept. 10, 1963 | 326 | 29 | 12 | | 302 | 571 | 7.1 | 72 |
| E-79 | C. M. Breeding | 490 | Mar. 5, 1963 | 280 | 692 | 342 | | 920 | 2600 | 7.0 | 72 |
| E-80 | D. A. Dacy | 492 | Mar. 1, 1963 | 296 | 272 | 215 | | 404 | 1590 | 7.6 | -- |
| | | | Sept. 10, 1963 | 304 | 262 | 218 | | 400 | 1600 | 7.5 | -- |
| E-81 | W. A. Word | 520 | Mar. 4, 1963 | 292 | 122 | 15 | | 372 | 688 | 7.4 | 72 |
| E-82 | Tom Edwards | 580 | Mar. 8, 1963 | 356 | 158 | 53 | | 416 | 1010 | 7.0 | 72 |
| F-7 | R. M. Turner | 665 | Mar. 1, 1963 | 288 | 301 | 195 | | 372 | 1570 | 7.8 | 73 |
| | | | Sept. 10, 1963 | 270 | 278 | 180 | | 354 | 1480 | 7.5 | 74 |
| F-22 | A. H. Whitten | 502 | Mar. 5, 1963 | 296 | 342 | 322 | | 424 | 2040 | 7.2 | 72 |
| | | | Sept. 10, 1963 | 304 | 348 | 330 | | 430 | 2100 | 7.2 | 75 |
| H-19 | City of Kyle | 600 | Sept. 9, 1963 | 284 | 131 | 16 | | 358 | 696 | 7.5 | 75 |
| H-25 | Hillview Dairy | 600 | Mar. 4, 1963 | 242 | 526 | 640 | | 745 | 3140 | 7.3 | -- |
| | | | Sept. 27, 1963 | 260 | 508 | 680 | | 752 | 3240 | 7.0 | -- |

Chemical analyses of water from observation wells in the San Antonio area--continued

| Well | Owner | Depth of well (ft.) | Date of collection | Bicar- bonate (HCO ₃) | Sulfate (SO ₄) | Chloride (Cl) | Dissolved solids | Hardness as CaCO ₃ | Specific conductance (micromhos at 25°C) | pH | Temperature |
|-------|---|------------------------------|-----------------------|---|-------------------------------|------------------|---------------------|----------------------------------|---|-----|-------------|
| H-50 | L. Woods | 141 | Mar. 1, 1963 | 306 | 44 | 29 | | 308 | 645 | 7.0 | 70 |
| H-59 | W. N. Goforth (Spring) | - | Mar. 1, 1963 | - | 25 | 20 | | - | - | - | 70 |
| | | | Sept. 9, 1963 | 238 | 30 | 25 | | 236 | 510 | 7.2 | 75 |
| H-66 | A. B. Rogers Estate (San Marcos Springs) | - | Feb. 28, 1963 | 308 | 22 | 20 | | 288 | 571 | 7.4 | 71 |
| | | | Sept. 13, 1963 | 300 | 26 | 20 | | 284 | 571 | 7.0 | 72 |
| H-84 | J. B. Netherland | 250 | Feb. 28, 1963 | 328 | 34 | 28 | | 316 | 642 | 7.2 | -- |
| | | | Sept. 9, 1963 | 324 | 35 | 29 | | 312 | 626 | 7.5 | 73 |
| H-113 | S. W. Texas State College | 255 | Feb. 28, 1963 | 304 | 34 | 28 | | 298 | 603 | 7.0 | 72 |
| K-1 | W. N. Yates | 360 | Feb. 28, 1963 | 340 | 221 | 230 | | 552 | 1550 | 7.4 | 70 |
| K-5 | E. Jackson | 200 | Feb. 28, 1963 | 340 | 299 | 250 | | 648 | 1740 | 6.7 | 72 |
| | | | Sept. 10, 1963 | 354 | 292 | 258 | | 650 | 1790 | 7.0 | 74 |